

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	2090	703/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 10:41
2	BRS	L2	107	703/2.ccls. and (floating adj point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 10:41
3	BRS	L3	32	703/2.ccls. and (floating adj point) and (error same function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 10:41
4	BRS	L4	0	703/2.ccls. and (floating adj point) and (error same function) and (log adj gamma adj function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 10:41
5	BRS	L5	1	(floating adj point) and (error same function) and (log adj gamma adj function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 11:41

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	20	(forward same recurrence same expression)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 11:41
7	BRS	L7	201525	(forward same backward recurrence same expression)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 11:42
8	BRS	L8	1	(forward same backward same recurrence same expression)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 11:44
9	BRS	L10	1	"5774564".pn. and forward and backward and recurrence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 11:46
10	BRS	L11	596	(forward and backward and recurrence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/01/19 11:46

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L12	58	(forward same backward same recurrence)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	2007/01/19 11:47
12	BRS	L13	1	(forward same backward same recurrence same polynomial)	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	2007/01/19 11:47

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)**Scholar**Results 1 - 2 of 2 for **polynomials floating point "recurrence expression"**. (0.11 seconds)**All Results**

Tip: Try removing quotes from your search to get more results.

J OLIVER**An Error Analysis of the Modified Clenshaw Method for Evaluating Chebyshev and Fourier Series**

J OLIVER - IMA Journal of Applied Mathematics, 1977 - IMA

... problem of evaluating trigonometric **polynomials** of the ... represent the mantissas of **floating-point** numbers ... to using the very **recurrence expression** that Reinsch's ...[Cited by 15](#) - [Related Articles](#) - [Web Search](#)**Applications of Fast Truncated Multiplication in Embedded Cryptography**

L Hars - hindawi.com

... are recursive algorithms, derived from **polynomial** interpolation, when ... number, assumingthe binary **point** in front ... to the modified **recurrence expression** $r \leftarrow 2r$...[Related Articles](#) - [View as HTML](#) - [Web Search](#)[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



error function floating point "log gamma functio


[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 20 for **error function floating point "log gamm**

All Results[D AMOS](#)[J Monahan](#)[D Smith](#)[J LeSage](#)**Complex gamma function with error control**

H Kuki - Communications of the ACM, 1972 - portal.acm.org

... Since an analytic **function** maps the complex plane ... the estimate *70 of the generated **error** is made ... In **floating point** computation, relative round-off errors due ...[Cited by 4](#) - [Related Articles](#) - [Web Search](#)**ALGORITHM 644 A Portable Package for Bessel Functions of a Complex Argument and Nonnegative Order - group of 9 »**

DE AMOS - ACM Transactions on Mathematical Software, 1966 - portal.acm.org

... ILMACH(10) = the **floating point** base ... 5 indicates an algorithmic failure or machine **error** that should ... **Function** values are not defined inside a subroutine on IERR ...[Cited by 67](#) - [Related Articles](#) - [Web Search](#)**A Comparison of Computational Methods and Algorithms for the Complex Gamma Function - group of 10 »**

EW Ng - ACM Transactions on Mathematical Software (TOMS), 1975 - portal.acm.org

... **point** addition and M for real **floating** multiplication, and ... each method to attain a truncation **error** less than ... total counts of operations and **function** calls for ...[Cited by 3](#) - [Related Articles](#) - [Web Search](#)**Algorithm 814: Fortran 90 software for floating-point multiple precision arithmetic, gamma and ... - group of 8 »**

DM Smith - ACM Transactions on Mathematical Software (TOMS), 2001 - portal.acm.org

... interface to the derived-type **floating-point** multiple- precision ... cases where the gamma **function** would overflow ... being used to compensate for cancellation **error**. ...[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Derivatives of the Incomplete Beta Function - group of 6 »**

RJ Boik, JF Robison-Cox - Beta (p, q) - jstatsoft.org

... of Bits for Fractional Component of **Floating Point** Numbers is ... Approximate maximum absolute **error** = 0.28102520E-15 ... **function** [der,psi,nappx,errapx] = inbeder(x,p,q ...[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**Multiple-Precision Gamma Function and Related Functions**

DM Smith - ACM Trans. Mathematical Software, 2001 - myweb.lmu.edu

... provide an interface to the derived-type **floating-point** multiple-precision numbers ... where the Gamma **function** would overflow, the **Log Gamma** function is ... **error**. ...[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**[PS] Algorithm: Fortran 90 Software for Floating-Point Multiple Precision Arithmetic, Gamma and Related ... - group of 2 »**

DM Smith - myweb.lmu.edu

... provide an interface to the derived-type **floating-point** multiple-precision numbers ... where the Gamma **function** would overflow, the **Log Gamma** function is ... **error**. ...[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Module 3.2: nag gamma fun Gamma Functions - group of 19 »](#)

S Functions, M Contents - extweb.nag.com

... of digits of precision in the **floating-point** arithmetic being ... 50, have shown that the maximum relative **error** is a ... with $n = 0$, ie, testing the **function** $-\psi(x \dots$

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[DOE-Maxima Reference Manual - group of 17 »](#)

M Clarkson - arte.unipi.it

... 178 12.4 **Error Handling** file a file name float a **floating point** number bfloat a big **floating point** number fun a **function** int an integer list a list ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[GAMS Index for the NAG Fortran 77 Library - group of 61 »](#)

A Arithmetic - nsc.liu.se

... Gamma, log gamma, reciprocal gamma S14AAF Gamma **function** S14ABF Log Gamma **function**

C7c Psi **function** S14ACF $\psi(x \dots$ P (a, x) and Q(a, x) C8 **Error functions** C8a ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google ►

Result Page: 1 2 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



floating point log gamma Bessel "complemen

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 22 for **floating point log gamma Bessel "comp**

All Results[R Brent](#)[W Gautschi](#)[D Lozier](#)[F Olver](#)[H Antia](#)[A Fortran Multiple-Precision Arithmetic - group of 16 »](#)

RP BRENT - ACM Transactions on Mathematical Software, 1978 - portal.acm.org

... MPPIGL is always slower than MPPI, but it would be faster (for large t) if an algorithm faster than $O(t/\log(t))$ were ... $t/2$ **floating-point** digits are necessary. ...[Cited by 128](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)[Performance evaluation of programs for the error and complementary error functions - group of 2 »](#)

WJ Cody - ACM Transactions on Mathematical Software (TOMS), 1990 - portal.acm.org

... the approxi- mation above, taking the **log** of each ... xmax), where xmax is the largest **floating-point** number (determined ... programs related to the real **gamma** function ...[Cited by 8](#) - [Related Articles](#) - [Web Search](#)[Algorithm 524: MP, A Fortran Multiple-Precision Arithmetic Package \[A1\] - group of 8 »](#)

RP Brent - ACM Transactions on Mathematical Software (TOMS), 1978 - portal.acm.org

... THE INTEGERS , I, ... , B C MUST BE EXACTLY REPRESENTABLE AS SINGLE- PRECISION **FLOATING-**C POINT NUMBERS, AND ... OF AN MP NUMBER, USING AN $O(M(T)T/\log(T))$ METHOD ...[Cited by 14](#) - [Related Articles](#) - [Web Search](#)[\[book\] Introduction to finite and spectral element methods using MATLAB - group of 5 »](#)

C Pozrikidis - 2005 - pindos.ucsd.edu

... G.1.2 Precision Matlab stores all numbers in the long format of the **floating-point** represen- tation. This means that real numbers ...[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)[ALGORITHM 524 MP, A Fortran Multiple-Precision Package - group of 8 »](#)

RP BRENT - ACM Trans. Math. Software, 1978 - math.nist.gov

... THE INTEGERS , I, ... , B C MUST BE EXACTLY REPRESENTABLE AS SINGLE- PRECISION **FLOATING-**C POINT NUMBERS, AND ... OF AN MP NUMBER, USING AN $O(M(T)T/\log(T))$ METHOD ...[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)[Word completion - group of 2 »](#)

FP ARITHMETIC, I FILES, SEE ALSO - math.utah.edu

... exp, expm1, exponent, factorial, floor, **gamma**, ilogb, int ... issubnormal, J0, J1, lgamma, ln, **log**, log10, log1p ... system supports IEEE 754 **floating-point** arithmetic. ...[Cached](#) - [Web Search](#)[\[book\] Numerical Evaluation of Special Functions - group of 11 »](#)

DW Lozier, FWJ Olver - 1994 - gams.nist.gov

... Airy functions; beta, **gamma**, **log gamma**, psi, incomplete ... and complementary incomplete

gamma functions; Kelvin ... approximations unless **floating-point** numbers are ...
[Cited by 38](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[Using C Wrappers in XLISP-STAT](#) - group of 3 »

J de Leeuw - [stat.ucla.edu](#)

... Fast **floating point** computation, however, is only possible if the ... **log** (length z)))
 (b2 (/ (- y2 y1) (**log** (length z ... Returns one divided by the **gamma** function of ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PS] [Hinweise zur Benutzung der Bibliothek](#)

Z Rechenzentrum, EN Sekretariat - [tu-berlin.de](#)

... C ASSUME **FLOATING-POINT** NUMBERS ARE REPRESENTED IN THE T-DIGIT, C
 BASE ... R9GAML **gamma**

under and overflow limits R9LGMC **log gamma** correction term ... **Bessel** Functions ...

[View as HTML](#) - [Web Search](#)

[Checking Computation of Numerical Functions by the Use of Functional Equations](#)

F Vainstein, C Jones - [gtrep.gatech.edu](#)

... 4 3 2 1 0 m m m m m m = [] .. 000 .0 3 2 1 3 1 m m m m = - To compute the logarithm
 of a normalized IEEE-754 double precision **floating-point** number ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google ►

Result Page: 1 2 3 **Next**

floating point log gamma Bessel "c"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



floating point log gamma Bessel "complemen

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 22 for **floating point log gamma Bessel "comp**

All Results[R Brent](#)[W Gautschi](#)[D Lozier](#)[F Olver](#)[H Antia](#)**[A Fortran Multiple-Precision Arithmetic - group of 16 »](#)**RP BRENT - ACM Transactions on Mathematical Software, 1978 - [portal.acm.org](#)... MPPIGL is always slower than MPPI, but it would be faster (for large t) if an algorithm faster than $O(t/\log(t))$ were ... $t/2$ **floating-point** digits are necessary. ...Cited by 128 - [Related Articles](#) - [Web Search](#) - [Library Search](#)**[Performance evaluation of programs for the error and complementary error functions - group of 2 »](#)**WJ Cody - ACM Transactions on Mathematical Software (TOMS), 1990 - [portal.acm.org](#)... the approxi- mation above, taking the **log** of each ... xmax), where xmax is the largest **floating-point** number (determined ... programs related to the real **gamma** function ...Cited by 8 - [Related Articles](#) - [Web Search](#)**[Algorithm 524: MP, A Fortran Multiple-Precision Arithmetic Package \[A1\] - group of 8 »](#)**RP Brent - ACM Transactions on Mathematical Software (TOMS), 1978 - [portal.acm.org](#)... THE INTEGERS , I, ... , B C MUST BE EXACTLY REPRESENTABLE AS SINGLE-PRECISION **FLOATING-****C POINT NUMBERS, AND ... OF AN MP NUMBER, USING AN $O(M(T)T/\log(T))$ METHOD ...**Cited by 14 - [Related Articles](#) - [Web Search](#)**[\[book\] Introduction to finite and spectral element methods using MATLAB - group of 5 »](#)**C Pozrikidis - 2005 - [pindos.ucsd.edu](#)... G.1.2 Precision Matlab stores all numbers in the long format of the **floating-point** represen- tation. This means that real numbers ...Cited by 8 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)**[ALGORITHM 524 MP, A Fortran Multiple-Precision Package - group of 8 »](#)**RP BRENT - ACM Trans. Math. Software, 1978 - [math.nist.gov](#)... THE INTEGERS , I, ... , B C MUST BE EXACTLY REPRESENTABLE AS SINGLE-PRECISION **FLOATING-****C POINT NUMBERS, AND ... OF AN MP NUMBER, USING AN $O(M(T)T/\log(T))$ METHOD ...**Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**[Word completion - group of 2 »](#)**FP ARITHMETIC, I FILES, SEE ALSO - [math.utah.edu](#)... exp, expm1, exponent, factorial, floor, **gamma**, ilogb, int ... issubnormal, J0, J1, lgamma, ln, **log**, log10, log1p ... system supports IEEE 754 **floating-point** arithmetic. ...[Cached](#) - [Web Search](#)**[\[book\] Numerical Evaluation of Special Functions - group of 11 »](#)**DW Lozier, FWJ Olver - 1994 - [gams.nist.gov](#)... Airy functions; beta, **gamma**, **log gamma**, psi, incomplete ... and complementary incomplete

gamma functions; Kelvin ... approximations unless **floating-point** numbers are ...
[Cited by 38](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Using C Wrappers in XLISP-STAT - group of 3 »

J de Leeuw - stat.ucla.edu

... Fast **floating point** computation, however, is only possible if the ... **log** (length z)))
 (b2 (/ (- y2 y1) (**log** (length z ... Returns one divided by the **gamma** function of ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PS] Hinweise zur Benutzung der Bibliothek

Z Rechenzentrum, EN Sekretariat - tu-berlin.de

... C ASSUME **FLOATING-POINT** NUMBERS ARE REPRESENTED IN THE T-DIGIT, C
 BASE ... R9GAML **gamma**

under and overflow limits R9LGMC **log gamma** correction term ... **Bessel** Functions ...

[View as HTML](#) - [Web Search](#)

Checking Computation of Numerical Functions by the Use of Functional Equations

F Vainstein, C Jones - gtrep.gatech.edu

... 4 3 2 1 0 m m m m m = [] .. 000 .0 3 2 1 3 1 m m m m = - To compute the logarithm
 of a normalized IEEE-754 double precision **floating-point** number ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google ►

Result Page: 1 2 3 **Next**

floating point log gamma Bessel "c"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



forward backward "recurrence expression"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 12 for **forward backward "recurrence expressi**

All Results[B Han](#)[S Pickin](#)[A Lavie](#)[X Mei](#)[C Jard](#)

[PS] [Time Calculus for Natural Language Tagging Guidelines](#) - group of 4 »

B Han - Time, 2003 - [www-2.cs.cmu.edu](#)

... 12. "every week in May": A **recurrence expression** is specified by a step size and ...

$E \times Q \rightarrow C$ **Forward/backward** fuzzy shifting { +|1 month |} ("next ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[A framework for resolution of time in natural language](#) - group of 7 »

B Han, A Lavie - ACM Transactions on Asian Language Information Processing (... , 2004 - [portal.acm.org](#)

... information in NL. In particular, we focus our effort in putting **forward** a practical way of modeling temporal expressions. Common temporal ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[State-space time integration with energy control and fourth-order accuracy for linear dynamic ...](#)

S Krenk - [doi.wiley.com](#)

... In the Newmark algorithm family algorithmic damping can be introduced via a slight **forward** weighting of the acceleration terms used in the representation of ...

[Related Articles](#) - [Web Search](#)

[Procedures for approximate eigenproblem reanalysis of structures.](#) - group of 3 »

U Kirsch, M Bogomolni - Int. J. Numer. Methods Eng., 2004 - [doi.wiley.com](#)

... Alternatively, we can use the following **recurrence expression** [13] ... of static reanalysis, this calculation involves only **forward** and **backward** substitutions. ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[OPKINE, a multipurpose program for kinetics](#) - group of 3 »

FP Pla, JJB Baeza, GR Ramos, J Palou - Journal of Computational Chemistry, 1991 - [doi.wiley.com](#)

... optimizes the Marquardt's search direction parameter, 6. The resulting **recurrence expression** is ... where k_i and k_- are the **forward** and **backward** rate constants ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

[Active controller using lattice-type filter and active control method](#) - group of 2 »

M Eguchi, F Kokubo - US Patent 5,774,564, 1998 - Google Patents

Page 1. United States Patent Eguchi et al. [54] ACTIVE CONTROLLER USING LATTICE-TYPE FILTER AND ACTIVE CONTROL METHOD [75] Inventors ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[A UML-integrated test description language for component testing](#) - group of 4 »

S Pickin, C Jard, T Heuillard, JM Jezequel, P ... - Practical UML-Based Rigorous Development Methods-Countering ..., 2001 - [irisa.fr](#)

... instance (unless there is a **forward** causal connection ... unless there is a **backward** causal connection ... see Section 5.4), nor the **recurrence expression** (see Section ...

[Cited by 9](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

On the spectrum of the linear transport operator in a semi-infinite medium - group of 3 »

V Protopopescu - J. Phys. A: Math. Gen, 1976 - iop.org

... $ab) = 1$ or $ab) = 0$ we obtain as particular cases the perfectly reflecting (and also the **backward** reflecting) and ... Unfortunately, the **recurrence expression** (6) ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

Method and system for computing 8 - group of 3 »

F Pan - US Patent 6,587,590, 2003 - Google Patents

Page 1. United States Patent Pan (54) METHOD AND SYSTEM FOR COMPUTING 8x8 DCT/IDCT

AND A VLSI IMPLEMENTATION (75) Inventor: Feng Pan, Cupertino, CA (US) ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#)

Disk device with temperature calculation section for calculating temperature change and difference - group of 3 »

Y Mushika, Y Nishihara, K Takauchi - US Patent 6,369,973, 2002 - Google Patents

Page 1. United States Patent Mushika et al. (54) DISK DEVICE WITH TEMPERATURE CALCULATION SECTION FOR CALCULATING TEMPERATURE CHANGE AND DIFFERENCE ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

Google ►

Result Page: 1 2 [Next](#)

forward backward "recurrence exp"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google